

Lauri Feindell

From: Danielson, Steven <Steven.Danielson@fortisbc.com>
Sent: June 28, 2021 12:46 PM
To: Planning
Subject: Chute Lake Rd, 9540, RDOS (E2021.012-TUP)

With respect to the above noted file,

There are FortisBC Inc (Electric) ("FBC(E)") primary distribution facilities within the boundary of the adjacent parcel to the east. All costs and land right requirements associated with changes to the existing servicing are the responsibility of the applicant.

For any changes to the existing service, the applicant must contact an FBC(E) designer as noted below for more details regarding design, servicing solutions, and land right requirements.

In order to initiate the design process, the customer must call 1-866-4FORTIS (1-866-436-7847). Please have the following information available in order for FBC(E) to set up the file when you call.

- Electrician's Name and Phone number
- [FortisBC Total Connected Load Form](#)
- Other technical information relative to electrical servicing

For more information, please refer to FBC(E)'s overhead and underground design requirements:

FortisBC Overhead Design Requirements

<http://fortisbc.com/ServiceMeterGuide>

FortisBC Underground Design Specification

<http://www.fortisbc.com/InstallGuide>

Otherwise, FBC(E) has no concerns with this circulation.

It should be noted that additional land rights issues may arise from the design process but can be dealt with at that time, prior to construction.

If you have any questions or comments, please contact me at your convenience.

Best Regards,

Steve Danielson, AACI, SR/WA

Contract Land Agent | Property Services | FortisBC Inc.

2850 Benvoulin Rd


Kelowna, BC V1W 2E3

Mobile: 250.681.3365

Fax: 1.866.636.6171

FBCLands@fortisbc.com





Penticton Indian Band
Natural Resources Department
841 Westhills Drive | Penticton, B.C.
V2A 0E8
Referrals@pib.ca | www.pib.ca
Telephone: 250-492-0411
Fax: 250-493-2882

Project Name:

Temporary Use Permit - Referral E2021.012-TUP (Chute Lake)

FN Consultation ID:

L-210602-E2021-012-TUP

Consulting Org Contact:

Lauri Feindell

Consulting Organization:

[Regional District of Okanagan-Similkameen](#)

Date Received:

Tuesday, June 22, 2021

Company Project ID (province/proponent ID):

E2021.012-TUP

WITHOUT PREJUDICE AND NOT TO BE CONSTRUED AS CONSULTATION

Attention: Lauri Feindell,

We are in receipt of the above referral. The proposed activity is located within syilx (Okanagan) Nation Territory and the Penticton Indian Band (PIB) Area of Interest. All lands and resources within the vicinity of the proposed project are subject to our unextinguished Aboriginal Title and Rights. The Penticton Indian Band has now had the opportunity to review the proposed project. Our preliminary office review has indicated the proposed project is located within an area of cultural significance and has the potential to impact PIB tmx^wulax^w(lands), siw⁺k^w (water, the lifeblood of the land) and syilx cultural heritage. Our tmx^wulax^w and siw⁺k^w are sacred to the syilx nation and it is PIB's responsibility to take care of all lands, waters and living things within the PIB Area of Interest.

As the proposed activity has the potential to impact irreplaceable syilx cultural heritage, the PIB is requiring a Cultural Heritage Resource Assessment be undertaken by qualified PIB Cultural Heritage Technicians to determine the nature and extent of any potential impacts. The PIB CHRA process involves in-field pedestrian surveys using either systematic or judgmental site sampling techniques undertaken by qualified PIB Technicians to assess the archaeological, cultural, and environmental resource potential of the study area, and to identify the need for project modifications and/or appropriate scope of further field studies if required.

In addition, the PIB is requesting any studies or assessments completed within the proposed project area.

The Penticton Indian Band makes information-based decisions and without a CHRA and requested further information, we do not have enough information on potential impacts to syilx cultural heritage. Therefore, if our requirements are not fulfilled, we will have no other option but to reject the proposed project.

Please note that our participation in the referral and consultation process does not define or amend PIB's Aboriginal Rights and Title, or limit any priorities afforded to Aboriginal Rights and Title, nor does it limit the positions that we may take in future negotiations or court actions.

Please contact me at your earlier convenience to discuss.

limlæmt,

Maryssa Bonneau
Referrals Coordinator
Natural Resources Department
Penticton Indian Band
W: 250-492-0411
C: 250-486-3241
Referrals@pib.ca

RESPONSE SUMMARY

TEMPORARY USE PERMIT NO. E2021.012-TUP

- Approval Recommended for Reasons Outlined Below
- Approval Recommended Subject to Conditions Below
- Interests Unaffected
- Approval Not Recommended Due to Reasons Outlined Below

An Authorized Person, under the BC Sewerage System Regulation, should inspect the existing sewerage system that the proposed cabin will tie into to determine if it can handle the increased flows, meets today's standard, and is in good working order. We recommend that this confirmation be provided to the RDOS prior to issuing a TUP.

Signature: 

Signed By: Janelle Rimell

Agency: Interior Health Authority

Title: Environmental Health Officer

Date: June 29, 2021