



Surveyor ATerra Land Surveying Ltd
BCLS
264 Westminister Ave. W.
Penticton BC V2A 1J9
250 492 5903
dblaszak@allterrasurvey.ca

Amber LeCompte GroundFX Geotechnical Inc.
P.O. Box 22042, RPO Penticton Plaza
Penticton, BC V2A 8L1
250-274-9500
admin@gfxgeotech.ca



1 South
1/4" = 1'-0"



2 North
1/4" = 1'-0"

EXISTING BUILDING CONSTRUCTION

- ROOFING**
- Corrugated steel roofing
 - 1/2" Ply Roof Sheathing
 - 2x6 Roof Trusses
 - R-40 insulation
 - 6 mil Poly Vapour Barrier
 - 1/2" min GWB
 - Perimeter venting 1:300

EXTERIOR WALLS (and Infill walls)

- Corrugated steel cladding system
- 1 x 2 Treated Purlins
- Building paper
- 1/2" OSB Sheathing
- 2 x 8 @ 16" UNO
- R-16 Batts existing walls
- 6 mil poly Vapor barrier
- 1/2 GWB

FLOORS AND SLABS

- Finish Floor on
- 6" conc slab

1ST STOREY WALLS


- 8" conc walls c/w
- Reinforcing as directed by the P. Eng
- waterproof Drainage mat

GARAGE FLOOR

- 3-1/2" Conc slab
- 6 mil Poly Moisture Barrier
- 5" min. Consolidated granular fill

FOUNDATION AND DRAINAGE

- To be as directed by the P. Eng.
- 4" Rainwater drains to French Drain
 - 4" perforated perimeter drain with minimum 12" drain rock over
 - 8" conc wall
 - 8 x 18 conc footing as specified by P Eng.



3 Section 7
1/16" = 1'-0"

DRAWINGS BY DAVE:-LTD.

Applicant: Rick Fry 604 724 5518
1805 Spartan Dr Penticton, BC

Accessory Building

1805 Spartan Dr. Penticton, BC

Issued for Application

Elevations

Project number 2405
Date 2026.01.21
Drawn by DEW
Checked by Checker

A302

